POPULATION ESTIMATES	CENSUS DATA	LOCAL PUBLIC HEALTH	[
			Per
Total 1995 Population Est 42,510	 	Activities Reported Num	
Percent Female 51.2	Note: Data in this section are from	•	10,000
	the 1990 Census. (All other	Public Health Nursing	
Population per square mile 32	sections contain 1995 data	Total clients	
Rank in state 143 ( 1=highest population density,	except where specified.)	Total visits Visits: Reason for	• • •
72=lowest population density.)	Ratio of 1989 Family	Gen hlth promotion	I
72-10west population density.)	Income to Poverty	Infant/child hlth	•
	(Cumul ative)	Infectious & parasitic	
<u>Age Female Male Total</u>		Ci rcul atory	
0-14 4, 270 4, 500 8, 770	Age <100% <185% <200% Total <5 26 54 58 2,803	Prenatal	
15- 19 1, 510 1, 620 3, 130 20- 24 1, 350 1, 360 2, 710	\$\sqrt{25}\$     26     54     58     2,803       5-17     22     42     46     7,810	Postpartum	•
20- 24 1, 350 1, 360 2, 710 25- 29 1, 320 1, 260 2, 580	18-44 15 33 37 15, 970	WIC Participants 2,	, 080 489
30-34 1, 560 1, 380 2, 940	18-44 15 33 37 15,970 45-64 8 17 19 7,652 65+ 9 42 46 6,191	$\omega$ ,	100
35-39 1,700 1,670 3,370	65+ 9 42 46 6, 191	Clinic Visits	'
40-44 1,670 1,770 3,440		Immuni zati on	
45-54 2, 560 2, 700 5, 260		Blood pressure	
55- 64 1, 830 1, 740 3, 570 65- 74 1, 790 1, 560 3, 350		Environmental Contacts	
75-84 1,530 940 2,470	CANCER INCIDENCE	Environmental contacts Env hazards	
85+ 690 230 920	(1995)	Public health nuisance	· · · · · ·
Total 21, 780 20, 730 42, 510		'	· ' '
	Primary site Number	School Health	
A. P. I. W.I. M. I.	Colon 28	Vision screenings	
Age Female Male Total 0-17 5,170 5,480 10,650	Lung 30 Breast 38	Hearing screenings	ا ۱
18- 44 8, 210 8, 080 16, 290	Prostate 16	Health Education	I
45-64 4, 390 4, 440 8, 830	All others 73	Community sessions	
65+ 4, 010 2, 730 6, 740	Total 185	Community attendance	
Total 21, 780 20, 730 42, 510		School sessions	
		School attendance	• • •
E M P L O Y M E N T	I.ONG TERM CARE	Staffing - FTEs	I
		Total staff	15 3.5
Note: Average wage is based on place		Admi ni strators	1 0.4
of work, not place of residence.	Home Health Agencies 2	Public health nurses	6 1.4
	Patients 592	Public health aides	
Average wage for jobs covered	Patients per 10,000 pop 139	Environmental specialists	1 0.4
by Unemployment Compensation \$20,905	Nursing Homes 8		I
Labor Force Estimates Annual Average	Li censed beds 696	LOCAL PUBLIC HEALTH FU	UNDI NG
Civilian labor force 21,855	0ccupancy rate (percent) 91.9%		Per
Number employed 20,586	Residents on 12/31/95 640		
Number unemployed 1,269	Residents per 1,000	Total funding	52 \$15.01
Unemployment rate 5.8%	population aged 65 or older 87	Local taxes \$327, 3	315 \$7.70
	1		I

----- N A T A L I T Y -----

			NATAL					
TOTAL LIVE BIRTHS		493	Birth Order	Bi rths	Percent	Marital Status		
			First	207	42	<u>of Mother</u>	<u>Births</u>	
Crude Live Birth Rate		11.6	Second	155	31	Marri ed	355	72
General Fertility Rat	te	<b>54.</b> 1	Thi rd	87	18	Not married	132	27
	_		Fourth or higher	43	9	Unknown	6	•
Live births with repo	orted		Unknown	1	•			
congenital anomalies		2 . %				Educati on		
_			First Prenatal			<u>of Mother</u>	Bi rths	Percent
<u>Delivery Type</u>	<u>Bi rths</u>	Percent	<u>Vi si t</u>	Bi rths	Percent	Elementary or les	s 4	•
Vaginal after			1st trimester	426	86	Some high school	71	14
previous cesarean	11	•	2nd trimester	50	10	High school	154	31
Forceps	6		3rd trimester	9	•	Some college College graduate	160	32
Other vagi nal	363	74	No visits	1		College graduate	100	20
Primary cesarean	68	14	Unknown	7	•	Unknown	4	•
Repeat cesarean	26	5		-	•		-	•
Other or unknown	19		Number of Prenatal			Smoking Status		
ocher of unmown	10	•	Care visits	Bi rths	Percent	of Mother	Bi rths	Percent
Birth Weight	Rirthe	Percent	No visits	1	1 CI CCIIC	Smoker	140	28
<1, 500 gm	6	·	1-4 visits	9	•	Nonsmoker	351	71
1, 500- gm	35	7. 1	5-9 visits	96	19	Unknown	2	
2, 500+ gm	452	91. 7	10-12 visits	269	55	Ulikilowii	۵	•
Unknown	432 0		10-12 visits 13 + visits	117	24			
UIIKIIOWII	U	•	Unknown	117				
			Low Birth Weight		Tri mest	er of First Prenatal	Visit	
	Total B	i rths	(under 2,500 gm)	1st Tri	imester	2nd Trimester	Other/	Unknown
Race of Mother	<u>Births F</u>		Births Percent	<u>Births</u>	Percent	Births Percent	<u>Births</u>	Percent
Whi te	470	95	38 8. 1	407	87	48 10	15	
Bl ack	3	•			•		•	
0ther	14			13			1	
Unknown	6		1 .	3	•	2 .	1	•
			Low Birth Weight		Tri mest	er of First Prenatal	Visit	
	Fe	ertility	(under 2, 500 gm)	1st Tri	imester	2nd Trimester	Other/	Unknown
Age of Mother	Births	Rate	Births Percent	Births	Percent			Percent
<15	0		Diffus for cont	DITCHS	1 CI CCIIC	Direits refeelit	DITCHS	I CI CCIIC
15- 17	18		·	12	•	5 .	1	•
18- 17	47	76	$\overset{1}{5}$ .	38	81	$\stackrel{\mathtt{J}}{6}$ .	3	•
20- 24	122	90	12 :	107	88	10 .	5	•
20- 24 25- 29	163	123	10 .	140	86	10 .	4	•
								•
30- 34	99	63	$\frac{5}{9}$ .	91	92	5 .	3	•
35- 39	39	23	8 .	36	92	3 .	٠,	•
40+	5	•		2	•	2 .	1	•
Unknown	ő		• •	•	•		•	•
Unknown	0			•	•		•	•
		43		•	•	•	•	•

## ----- MORBIDITY Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED CASES OF SELECTED DISEASES Perinatal and fetal deaths. | Birth Weight | Clipped | Signature | Sig ----- I M M U N I Z A T I O N S ------

## 

DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DI SEASE / AGE GROUP	Number	1,000	Average Stay (Days)	Average	Charge Per Capita
Injury-Related	: Al l					Al cohol - Rel at ed					
Total	107	2. 5	4. 1	\$5, 215	\$13	Total	<b>52</b>	1. 2	8. 9	\$5, 557	\$7
<18	4					18- 44	24	1. 5	10. 5	\$7, 406	\$11
18- 44	22	1.3	1.9	\$3,614	<b>\$5</b>	45-64	16	•	•	•	•
45- 64	12	10. 2	4. 8	05 001	057	Durannania and In	£1				
65+	69	10. Z	4. 8	\$5,601	\$57	Pneumonia and Ir		1. 8	5. 1	<b>\$6, 523</b>	\$12
Injury: Hip <b>Total</b>	18					10tai   < 18	78 6			<b>30, 323</b>	\$12
10tai 65+	18 17	•	•	•	•	45- 64	6	•	•	•	•
Injury: Pois		•	•	•	•	45- 64	60	8. 9	5. 6	\$7, 07 <del>0</del>	\$ <b>63</b>
Total	6					05+	00	0. 3	3. 0	\$7,070	303
18- 44	3	•	•	•	•	Cerebrovascul ar	Di sease				
10- 44	3	•	•	•	•	Total	77	1. 8	4. 1	\$5,007	<b>\$9</b>
Psychi atri c						45-64	8	1.0	1. 1	ψ <b>0</b> , <b>00</b> 7	Ų0
Total	71	1. 7	16. 5	\$7, 705	\$13	65+	69	10. 2	4.0	\$4, 834 <sup>°</sup>	\$49 <sup>.</sup>
<18	3							2012	2. 0	¥ 2, 00 1	Ų 10
18- 44	35	2. 1	17. 3	<b>\$7, 656</b>	\$16	Chronic Obstruct	ive Puln	nonary D	i sease		
45-64	12			•	•	Total	51	1. 2	4. 2	\$5, 370	\$6
<b>65</b> +	21	3. 1	4. 6	\$3, 974	\$12	<18	5		•		
				,	·	18-44	3			•	
Coronary Heart	Di sease					45-64	9				
Total	93	2. 2	4. 1	\$7, 764	\$17	65+	34	<b>5. 0</b>	4.4	\$5, 721	\$29
45- 64	22	2. 5	2. 9	\$8, 908	\$22						
<b>65</b> +	69	10. 2	4. 5	\$7, 462	\$76	Drug-Related					
						Total	6			•	
Malignant Neop	olasms (Ca	ncers):	Al l			18-44	5	•	•		
Total	68	1. 6	4. 9	<b>\$8, 116</b>	\$13						
18- 44	1		•	•	•	Total Hospitaliz					
45-64	11	•••	٠.,			Total	1, 574	37.0	4.5	\$5,933	\$220
65+	56	8.3	5.1	\$8, 456	\$70	<18	75	7. 1	4.8	\$4, 552	\$32
Neoplasms: F		ast (ra	ites for	female po	pul at i on)	18-44	259	15. 9	4. 9	\$5, 808	\$92
Total	6		•	•	•	45-64	274	31.0	4. 3	\$6, 095	\$189
Neoplasms: C		1				65+	966	143. 4	4. 4	\$6, 028	\$864
Total	15	•	•	•	•			0001	тат	T 7 A T T	ONC
65+	13	•	•	•	•	PREVENTAE					
Neoplasms: L Total						Total   < 18	340	8. 0 2. 1	4. 4 2. 4	\$5, 520	\$44 \$5
iotai	10	•	•	•	•	< 18   18-44	22 27	2. 1 1. 7	2. 4 2. 9	\$2, 432 \$3, 675	\$5 \$6
Di abetes						18- 44 45- 64	60	1. 7 6. 8	2. 9 3. 6	\$3, 675 \$4, 747	\$6 \$32
Total	22	0. 5	4. 6	<b>\$4, 692</b>	<b>\$2</b>	45-64   65+	231	34. 3	5. 0	\$4, 747 \$6, 231	\$32 \$214
10tai 65+	22 15	<b>U.</b> 3	4. 0	94, UTL	٩L	05+	٤31	J4. J	J. U	ου, <b>Δ</b> 31	<b>3214</b>
υστ	13	•	•	•	•	* Hospitalization effective ambula hospitalization.	s for co	ondition e can r	s where educe tl	timely ar he likelih	nd nood of